

Motorola MTM5400



MTM800 ENH 380-430 DASH MT912M



MTM800 ENH 380-430 DESK MT912M



MTM800 ENH 380-430 REMOTE MT912M



MTM800 ENH 380-430 M-CYCLE MT912M

Utgått modell. Kun tilbehør tilgjengelig. Erstattet av MTM5000 serien

MTM800 Enhanced Accessories

380-430MHz Antennas Selection



**TETRA/GPS Combined Antenna
380-430MHz**

- Frequency Range: 380-430MHz
- GPS: Yes
- TETRA: Yes
- Mounting Type: direct
- Dimension (HxWxL)(mm): 18x50x60
- Height: 154mm

| | |
|------------------------------------|-----------------|
| TCC VARENR.: 18106 | |
| ANT. COMBINED TETRA/GPS 380-430MHZ | |
| Unit of Measure: EA | CE: No RTTE: No |



**TETRA Antenna Glass Mount
380-400MHz**

- Frequency Range: 380-400MHz
- GPS: No
- TETRA: Yes
- Mounting Type: external glass mount
- Height: 259mm


| | |
|-------------------------------------|-----------------|
| TCC VARENR.: 18046 | |
| ANT. TETRA GLASS MOUNT 380 - 400MHZ | |
| Unit of Measure: EA | CE: No RTTE: No |



**TETRA Antenna Glass Mount
410-430MHz**

- Frequency Range: 410-430MHz
- GPS: No
- TETRA: Yes
- Mounting Type: external glass mount
- Height: 259mm

| | |
|-------------------------------------|-----------------|
| TCC VARENR.: 18047 | |
| ANT. TETRA GLASS MOUNT 410 - 430MHZ | |
| Unit of Measure: EA | CE: No RTTE: No |



**TETRA Antenna Panel Mount
380-430MHz**

- Frequency Range: 380-430MHz
- GPS: No
- TETRA: Yes
- Mounting Type: panel mount
- Height: 176mm

| | |
|-------------------------------------|-----------------|
| TCC VARENR.: 18048 | |
| ANT. TETRA PANEL MOUNT 380 - 430MHZ | |
| Unit of Measure: EA | CE: No RTTE: No |



**TETRA Antenna Magnetic Mount
380-400MHz**

- Frequency Range: 380-400MHz
- GPS: No
- TETRA: Yes
- Mounting Type: magnetic mount
- Height: 165mm

| | |
|------------------------------|-----------------|
| TCC VARENR.: 18049 | |
| ANT. TETRA MAG MT 380-430MHZ | |
| Unit of Measure: EA | CE: No RTTE: No |



**TETRA Antenna Magnetic Mount
410-430MHz**

- Frequency Range: 410-430MHz
- GPS: No
- TETRA: Yes
- Mounting Type: magnetic mount
- Height: 165mm


| | |
|-----------------------------------|-----------------|
| TCC VARENR.: 18050 | |
| ANT. TETRA MAG MOUNT 410 - 430MHZ | |
| Unit of Measure: EA | CE: No RTTE: No |



**TETRA Antenna Covert Strip
380-400MHz**

- Frequency Range: 380-400MHz
- GPS: No
- TETRA: Yes
- Mounting Type: glass mountable strip
- Dimension(HxWxL)(mm): 2.5(6.5 at cable entry)x19x217

| | |
|--------------------------------------|-----------------|
| TCC VARENR.: 18051 | |
| ANT. TETRA COVERT STRIP 380 - 430MHZ | |
| Unit of Measure: EA | CE: No RTTE: No |



**TETRA Antenna Covert Strip
410-430MHz**

- Frequency Range: 410-430MHz
- GPS: No
- TETRA: Yes
- Mounting Type: glass mountable strip
- Dimension(HxWxL)(mm): 2.5(6.5 at cable entry)x19x217


| | |
|--------------------------------------|-----------------|
| TCC VARENR.: 18110 | |
| ANT. TETRA COVERT STRIP 410 - 430MHZ | |
| Unit of Measure: EA | CE: No RTTE: No |



**TETRA Antenna Low Profile
380-400MHz**

- Frequency Range: 380-400MHz
- GPS: No
- TETRA: Yes
- Mounting Type: centre bolt with adhesive pad
- Height: 45mm
- Base diameter: 160mm

| | |
|-------------------------------------|-----------------|
| TCC VARENR.: 18052 | |
| ANT. TETRA LOW PROFILE 380 - 400MHZ | |
| Unit of Measure: EA | CE: No RTTE: No |




**TETRA Antenna Low Profile
410-430MHz**

- Frequency Range: 410-430MHz
- GPS: No
- TETRA: Yes
- Mounting Type: centre bolt with adhesive pad
- Height: 45mm
- Base diameter: 160mm


| | |
|-------------------------------------|-----------------|
| TCC VARENR.: 18053 | |
| ANT. TETRA LOW PROFILE 410 - 430MHZ | |
| Unit of Measure: EA | CE: No RTTE: No |


MTM800 Enhanced Accessories


380-430MHz Antennas Selection (Continued)


| | |
|---|--|
|  | <p>TETRA Antenna Wall Mount 380-400MHz</p> <ul style="list-style-type: none"> • Frequency Range: 380-400MHz • GPS: No • TETRA: Yes • Mounting Type: 4 screws to a wall or other surface • Dimension(HxW)(mm): 252x32.7 |
| | <p>TCC VARENR.: 18054 ANT. TETRA WALL MOUNT 380 - 400MHZ Unit of Measure: EA CE: No RTTE: No</p> |


| | |
|--|--|
|  | <p>TETRA Antenna Wall Mount 410-430MHz</p> <ul style="list-style-type: none"> • Frequency Range: 410-430MHz • GPS: No • TETRA: Yes • Mounting Type: 4 screws to a wall or other surface • Dimension(HxW)(mm): 252x32.7 |
| | <p>TCC VARENR.: 18055 ANT. TETRA WALL MOUNT 410 - 430MHZ Unit of Measure: EA CE: No RTTE: No</p> |


| | |
|---|--|
|  | <p>TETRA Antenna Motorcycle Mount 380-400MHz</p> <ul style="list-style-type: none"> • Frequency Range: 380-400MHz • GPS: No • TETRA: Yes • Mounting Type: centre bolt with adhesive pad • Height: 420mm • Base diameter: 35mm |
| | <p>TCC VARENR.: 18056 ANT. MOTORCYCLE TETRA 380 - 400MHZ Unit of Measure: EA CE: No RTTE: No</p> |


| | |
|---|--|
|  | <p>TETRA Antenna Motorcycle Mount 410-430MHz</p> <ul style="list-style-type: none"> • Frequency Range: 410-430MHz • GPS: No • TETRA: Yes • Mounting Type: centre bolt with adhesive pad • Height: 355mm • Base diameter: 35mm |
| | <p>TCC VARENR.: 18057 ANT. MOTORCYCLE TETRA 410 - 430MHZ Unit of Measure: EA CE: No RTTE: No</p> |


| | |
|--|---|
|  | <p>TETRA Antenna Flexible Whip Hinged 380-400MHz</p> <p>Requires base GMLN4276, GMLN4277 or GMLN4278</p> |
| | <p>TCC VARENR.: 18058 ANT. WHIP FLEX TETRA 380 - 400MHZ Unit of Measure: EA CE: No RTTE: No</p> |

| | |
|--|---|
|  | <p>TETRA Antenna Flexible Whip Hinged 410-430MHz</p> <p>Requires base GMLN4276, GMLN4277 or GMLN4278</p> |
| | <p>TCC VARENR.: 18059 ANT. WHIP FLEX TETRA 410 - 430MHZ Unit of Measure: EA CE: No RTTE: No</p> |

| | |
|---|---|
|  | <p>TETRA Antenna Flexible Whip Hinged 380-430MHz</p> <p>Requires base GMLN4276, GMLN4277 or GMLN4278</p> |
| | <p>TCC VARENR.: 18060 ANT. WHIP FLEX TETRA 380 - 430MHZ Unit of Measure: EA CE: No RTTE: No</p> |


| | |
|---|--|
|  | <p>TETRA Antenna Whip Hinged 380-400MHz</p> <p>Requires base GMLN4276, GMLN4277 or GMLN4278</p> |
| | <p>TCC VARENR.: 18061 ANT. WHIP TETRA 380 - 400MHZ Unit of Measure: EA CE: No RTTE: No</p> |

| | |
|---|--|
|  | <p>TETRA Antenna Whip Hinged 410-430MHz</p> <p>Requires base GMLN4276, GMLN4277 or GMLN4278</p> |
| | <p>TCC VARENR.: 18062 ANT. WHIP TETRA 400 - 430MHZ Unit of Measure: EA CE: No RTTE: No</p> |

| | |
|---|--|
|  | <p>TETRA Antenna Whip Hinged 380-430MHz</p> <p>Requires base GMLN4276, GMLN4277 or GMLN4278</p> |
| | <p>TCC VARENR.: 18063 ANT. WHIP TETRA 380 - 430MHZ Unit of Measure: EA CE: No RTTE: No</p> |

MTM800 Enhanced Accessories

380-430MHz Antennas Selection (Continued)

| | |
|--|--|
|  <p>GPS Antenna Panel Mount</p> <ul style="list-style-type: none"> • GPS: Yes • TETRA: No • Mounting Type: direct (panel/roof) • Dimension (HxWxL)(mm): 18x50x60 | |
| | <p>TCC VARENR.: 18107 ANT. GPS ONLY PANEL MOUNT Unit of Measure: EA CE: No RTTE: No</p> |


| | |
|---|---|
| <p style="text-align: center;">IMAGE COMING SOON</p> <p>GPS Antenna Magnetic Mount</p> <ul style="list-style-type: none"> • GPS: Yes • TETRA: No • Mounting Type: magnetic mount • Dimension (HxWxL)(mm): 18x50x60 | |
| | <p>TCC VARENR.: 18108 ANT. GPS ONLY MAGNETIC MOUNT Unit of Measure: EA CE: No RTTE: No</p> |

| | |
|--|--|
|  <p>TETRA Antenna Panel Mount Base Thickness up to 4mm</p> <p>Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284</p> | |
| | <p>TCC VARENR.: 18064 ANT MOUNT TYPE M8 (REQUIRES WHIP) Unit of Measure: EA CE: No RTTE: No</p> |
| | <p>List Price €14.75</p> |

| | |
|---|--|
|  <p>TETRA Antenna Panel Mount Base Thickness up to 6mm</p> <p>Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284</p> | |
| | <p>TCC VARENR.: 18065 ANT MOUNT TYPE M8 PLUS (REQ WHIP) Unit of Measure: EA CE: No RTTE: No</p> |


| | |
|--|--|
|  <p>TETRA Antenna Magnetic Mount Base</p> <p>Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284</p> | |
| | <p>TCC VARENR.: 18066 ANT MAG MOUNT (REQUIRES WHIP) Unit of Measure: EA CE: No RTTE: No</p> |

440-470MHz Antennas Selection

| | |
|--|------------------|
|  <p>TETRA Antenna Motorcycle Mount 438-470MHz</p> <ul style="list-style-type: none"> • Frequency Range: 438-472MHz • GPS: No • TETRA: Yes • Mounting Type: centre bolt with adhesive pad • Height: 340mm • Base diameter: 35mm | |
| | <p>NA</p> |

| | |
|---|------------------|
|  <p>TETRA/GPS Combined Antenna 430-470MHz</p> <ul style="list-style-type: none"> • Frequency Range: 430-470MHz • GPS: Yes • TETRA: Yes • Mounting Type: direct • Dimension(HxWxL)(mm): 18x50x60 • Whip Height: 154mm | |
| | <p>NA</p> |

| | |
|---|------------------|
|  <p>TETRA Antenna Glass Mount 450-470MHz</p> <ul style="list-style-type: none"> • Frequency Range: 445-470MHz • GPS: No • TETRA: Yes • Mounting Type: external glass mount • Height: 214mm | |
| | <p>NA</p> |

| | |
|--|------------------|
|  <p>TETRA Antenna Panel Mount 430-470MHz</p> <ul style="list-style-type: none"> • Frequency Range: 430-472MHz • GPS: No • TETRA: Yes • Mounting Type: panel mount • Height: 176mm | |
| | <p>NA</p> |

MTM800 Enhanced Accessories


440-470MHz Antennas Selection (Continued)


| | |
|------------------------------|--|
| <p>IMAGE COMING SOON</p> | <p>TETRA Antenna Magnetic Mount 430-470MHz</p> <ul style="list-style-type: none"> • Frequency Range: 430-470MHz • GPS: No • TETRA: Yes • Mounting Type: magnetic • Height: 140mm |
| | <p>NA</p> |


| | |
|--|--|
|  | <p>TETRA Antenna Covert Strip 430-465MHz</p> <ul style="list-style-type: none"> • Frequency Range: 420-465MHz • GPS: No • TETRA: Yes • Mounting Type: glass mountable strip • Dimension(HxWxL)(mm): 2.5(6.5 at cable entry)x19x217 |
| | <p>NA</p> |

| | |
|---|---|
|  | <p>TETRA Antenna Low Profile 430-470MHz</p> <ul style="list-style-type: none"> • Frequency Range: 450-470MHz • GPS: No • TETRA: Yes • Mounting Type: centre bolt with adhesive pad • Height: 45mm • Base diameter: 160mm |
| | <p>NA</p> |

| | |
|--|--|
|  | <p>TETRA Antenna Wall Mount 430-470MHz</p> <ul style="list-style-type: none"> • Frequency Range: 450-470MHz • GPS: No • TETRA: Yes • Mounting Type: 4 screws to a wall or other surface • Dimension(HxWxL)(mm): 220x32.7x150 |
| | <p>NA</p> |

| | |
|--|--|
|  | <p>TETRA Antenna Whip Hinged 450MHz</p> |
| | <p>NA</p> |

| | |
|--|---|
|  | <p>TETRA Antenna Flexible Whip Hinged 450MHz</p> |
| | <p>NA</p> |

| | |
|---|--|
|  | <p>GPS Antenna Panel Mount</p> <ul style="list-style-type: none"> • GPS: Yes • TETRA: No • Mounting Type: direct (panel/roof) • Dimension (HxWxL)(mm): 18x50x60 |
| | <p>TCC VARENR.: 18107 ANT. GPS ONLY PANEL MOUNT Unit of Measure: EA CE: No RTTE: No</p> |

| | |
|------------------------------|--|
| <p>IMAGE COMING SOON</p> | <p>GPS Antenna Magnetic Mount</p> <ul style="list-style-type: none"> • GPS: Yes • TETRA: No • Mounting Type: magnetic mount • Dimension (HxWxL)(mm): 18x50x60 |
| | <p>TCC VARENR.: 18108 ANT. GPS ONLY MAGNETIC MOUNT Unit of Measure: EA CE: No RTTE: No</p> |

| | |
|---|--|
|  | <p>TETRA Antenna Panel Mount Base Thickness up to 4mm</p> <p>Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284</p> |
| | <p>TCC VARENR.: 18064 ANT MOUNT TYPE M8 (REQUIRES WHIP) Unit of Measure: EA CE: No RTTE: No</p> |

| | |
|--|--|
|  | <p>TETRA Antenna Panel Mount Base Thickness up to 6mm</p> <p>Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284</p> |
| | <p>TCC VARENR.: 18065 ANT MOUNT TYPE M8 PLUS (REQ WHIP) Unit of Measure: EA CE: No RTTE: No</p> |

MTM800 Enhanced Accessories

440-470MHz Antennas Selection (Continued)

| | | |
|---|--|-----------------------|
|  | TETRA Antenna Magnetic Mount Base Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284 | |
| | TCC VARENR.: 18066 ANT MAG MOUNT (REQUIRES WHIP) Unit of Measure: EA CE: No RTTE: No | List Price €254.00 |

Enhanced Control Head

| | |
|--|-----------------------|
| Dash/Desk Control Head (Roman keypad) IMAGE COMING SOON | |
| TCC VARENR.: 18112 NG CONTROL HEAD ENGLISH Unit of Measure: EA CE: Yes RTTE: No | List Price €254.00 |

| | |
|---|-----------------------|
| Remote Mount Head (Roman keypad) IMAGE COMING SOON | |
| TCC VARENR.: 18113 NG REMOTE MT HD ENGLISH | List Price €254.00 |

| | |
|---|-----------------------|
| Motorcycle Control Head (Roman keypad) IMAGE COMING SOON | |
| TCC VARENR.: 18114 NG MC CH ENGLISH Unit of Measure: EA CE: Yes RTTE: No | List Price €254.00 |

MTM800 Enhanced Accessories

Audio Accessories - Mobile Microphones

| | |
|---|--|
|  <p>Toroids Kit</p> | |
| NA | |

| | |
|--|-------------------------|
|  <p>Fist Microphone For MTM800Enhanced requires connection through junction box GMLN3002</p> <ul style="list-style-type: none"> • Operation: Transmit only • PTT: Yes • Volume Control: No | |
| <p>TCC VARENR.: 18088 FIST MICROPHONE</p> <p>Unit of Measure: EA</p> | <p>CE: Yes RTTE: No</p> |

| | |
|--|-------------------------|
|  <p>Visor Microphone</p> <ul style="list-style-type: none"> • Operation: Transmit only • PTT: No • Volume Control: No | |
| <p>TCC VARENR.: 18075 VISOR MOUNTED MICROPHONE</p> <p>Unit of Measure: EA</p> | <p>CE: Yes RTTE: No</p> |

| | |
|---|-------------------------|
|  <p>Telephone Style Handset</p> <ul style="list-style-type: none"> • Operation: Transmit & receive • PTT: Yes • Volume Control: Yes • Note: For use with MTM800 Enhanced Mobile an additional junction box GMLN3002 is required. | |
| <p>TCC VARENR.: 11479 TELEPHONE-STYLE HANDSET</p> <p>Unit of Measure: EA</p> | <p>CE: Yes RTTE: No</p> |

| | |
|---|-------------------------|
|  <p>Telephone Style Handset</p> | |
| <p>TCC VARENR.: 18074 IMPRES TELEPHONE STYLE HANDSET KIT</p> <p>Unit of Measure: EA</p> | <p>CE: Yes RTTE: No</p> |

| | |
|--|-------------------------|
|  <p>Desk Microphone Microphone with new enhanced robust front head audio connector</p> <ul style="list-style-type: none"> • Operation: Transmit only • PTT: Yes • Volume Control: No | |
| <p>TCC VARENR.: 17665 DESKTOP MIC</p> <p>Unit of Measure: EA</p> | <p>CE: Yes RTTE: No</p> |


MTM800 Enhanced Accessories

Audio Accessories - Mobile Microphones (Continued)

| | |
|---|---|
|  <p>Fist Microphone Compact Microphone with new enhanced robust front head audio connector</p> <ul style="list-style-type: none"> • Operation: Transmit only • PTT: Yes • Volume Control: No | |
| | <p>TCC VARENR.: 17750 COMPACT MOBILE MIC Unit of Measure: EA CE: Yes RTTE: No</p> |

| | |
|---|---|
|  <p>Fist Microphone Heavy Duty Microphone with new enhanced robust front head audio connector</p> <ul style="list-style-type: none"> • Operation: Transmit only • PTT: Yes • Volume Control: No | |
| | <p>TCC VARENR.: 18077 HEAVY DUTY MICROPHONE Unit of Measure: EA CE: Yes RTTE: Yes</p> |

Audio Accessories - Speakers

| | |
|---|---|
|  <p>Speaker Extension Cable • External speaker extension cable.</p> | |
| | <p>TCC VARENR.: 18078 SPEAKER EXTENSION CABLE Unit of Measure: EA CE: No RTTE: No</p> |

| | |
|--|---|
|  <p>Large External Speaker 13 Watts • Operation: Receive only • PTT: No • Volume Control: No • Dimensions HxWxD(mm): 120x125x60</p> | |
| | <p>TCC VARENR.: 18079 EXTERNAL SPEAKER 13W Unit of Measure: EA CE: Yes RTTE: No</p> |

| | |
|--|---|
|  <p>Small External Speaker 5 Watts • Operation: Receive only • PTT: No • Volume Control: No • Dimensions HxWxD(mm): 50x80x60</p> | |
| | <p>TCC VARENR.: 18080 SMALL SPEAKER 5W Unit of Measure: EA CE: Yes RTTE: No</p> |

MTM800 Enhanced Accessories


PTT and Specific Kits



Mobile External Alarm Relay

- External Alarm - Relay and Cable.


| | |
|---------------------------|------------------|
| TCC VARENR.: 11485 | |
| EXT.ALARM RELAY & CABLE | |
| Unit of Measure: EA | CE: Yes RTTE: No |



Emergency Footswitch

- Easily and secretly triggers an emergency signal that is sent to the base station.

| | |
|---------------------------|-----------------|
| TCC VARENR.: 18071 | |
| EMERGENCY FOOT SWITCH | |
| Unit of Measure: EA | CE: No RTTE: No |



Pushbutton Push-to-Talk

- These in-vehicle accessories cater for requirements specific to professionals working in vehicles for extended periods.
- They enable users to operate their mobile radios with remote press to talk facilities and customers their two-way communications to suit various market applications.

| | |
|---------------------------|--|
| TCC VARENR.: 11482 | |
| PUSHBUTTON PTT | |


Retrofit Kits

IMAGE
COMING SOON

GPS Upgrade Kit

| | |
|------------------------|--|
| NA | |
| Part Number: GMRG4219B | |


Expansion Heads



Standard Interface Head Kit

For use with MTM5400 or MTM5200
Remote & Motorcycle Mount only

| | |
|---------------------------|------------------|
| TCC VARENR.: 18081 | |
| REMOTE HEAD ENH | |
| Unit of Measure: EA | CE: Yes RTTE: No |




Expansion Interface Head Kit

For use with MTM5400 or MTM5200
Remote & Motorcycle Mount only

| | |
|---------------------------------|------------------|
| TCC VARENR.: 18082 | |
| DATA EXPANSION CONTROL HEAD ENH | |
| Unit of Measure: EA | CE: Yes RTTE: No |


MTM800 Enhanced Accessories

Junction Box with Cables




Junction Box to terminal cable 6m

| | | |
|---------------------|---------------------------------|--|
| 18115 | CABLE 6M MTM700 TO JUNCTION BOX | |
| Unit of Measure: EA | CE: No RTTE: No | |




Junction Box to terminal cable 4m

| | | |
|---------------------|---------------------------------|--|
| 18116 | CABLE 4M MTM700 TO JUNCTION BOX | |
| Unit of Measure: EA | CE: No RTTE: No | |




Junction Box to terminal cable 2m

| | | |
|---------------------|---------------------------------|--|
| 18117 | CABLE 2M MTM700 TO JUNCTION BOX | |
| Unit of Measure: EA | CE: No RTTE: No | |



Junction Box

| | | |
|---------------------|-------------------------------------|--|
| 18083 | DATA JUNCTION BOX W / ACC CONNECTOR | |
| Unit of Measure: EA | CE: Yes RTTE: Yes | |



Mobile Rear Accessory Terminal Kit

- Hardware Kit for use with the expanded accessory connector (includes 16 connector pins, (9) 8" wires with pins attached and an extra housing)

| | | |
|---------------------|----------------------------|--|
| 11507 | EXPANDED ACCY TERMINAL KIT | |
| Unit of Measure: EA | CE: No RTTE: No | |

Mounting Solutions - Mounting Brackets for Control Head



Standard Remote Mount Trunnion kit

| | | |
|---------------------|-----------------|--|
| 18091 | TRUNNION KIT | |
| Unit of Measure: EA | CE: No RTTE: No | |



Motorcycle Mounting Bracket for control head


| | | |
|---------------------|------------------------------|--|
| 18092 | M/C ENH CTRL HD TRUNNION, SS | |
| Unit of Measure: EA | CE: No RTTE: No | |


MTM800 Enhanced Accessories

Mounting Solutions - Mounting Brackets for Control Head (Continued)


| | |
|---|--|
|  <p>Enhanced Control Head DIN Trunion</p> | |
| <p>18093 ENH CTRL HD DIN TRUNNION Unit of Measure: EA CE: No RTTE: No</p> | |

Mounting Solutions - Mounting Brackets for the Transceiver

| | |
|--|--|
|  <p>Mounting Bracket</p> <ul style="list-style-type: none"> • High Profile Mounting Bracket • Offers more clearance between Dashboard and Radio • Dash or floor mount | |
| <p>11487 TRUNNION KIT MOBILE Unit of Measure: EA CE: No RTTE: No</p> | |

| | |
|---|--|
|  <p>Mounting Bracket</p> <ul style="list-style-type: none"> • Low Profile Mounting Bracket • Dash or floor mount | |
| <p>11486 ARI LO PROFILE TRUNNION KIT Unit of Measure: EA CE: No RTTE: No</p> | |

| | |
|---|--|
|  <p>DIN Mount Frame</p> | |
| <p>18094 DIN MTG KIT Unit of Measure: EA CE: No RTTE: No</p> | |

| | |
|--|--|
|  <p>Mounting Bracket with Key lock</p> <ul style="list-style-type: none"> • Bracket with Key lock for more secure installation • Requires key to lock/unlock radio in the bracket | |
| <p>11491 KEY LOCK MTG KIT Unit of Measure: EA CE: No RTTE: No</p> | |

Mounting Solutions - Desktop Mounting Solutions

| | |
|---|--|
|  <p>Desktop Tray (without Speaker)</p> <ul style="list-style-type: none"> • Offering simple and easy installation for local dispatching operation. | |
| <p>11495 BASE TRAY W/O SPKR ARIANE Unit of Measure: EA CE: No RTTE: No</p> | |


| | |
|---|--|
|  <p>Desktop Tray (with Speaker)</p> <ul style="list-style-type: none"> • Offering simple and easy installation for local dispatching operation. • Provides increased volume when receiving in high noise environments. | |
| <p>11496 BASE TRAY WITH SPEAKER Unit of Measure: EA CE: Yes RTTE: No</p> | |

MTM800 Enhanced Accessories

Desktop Power Supply

| | |
|--|------------------------|
|  <p>Power Supply Cable (for GPN6145 and HPN4007/8)</p> | |
| <p>10340 PWR CBL DC BASE RENA Unit of Measure: EA</p> | <p>CE: No RTTE: No</p> |


| | |
|--|-------------------------|
|  <p>Mobile Radio Power Supply Unit</p> <ul style="list-style-type: none"> Motorola 25W Switched Mode power supply(EMC Approved). | |
| <p>11497 MOBILE RADIO PSU 138W Unit of Measure: EA</p> | <p>CE: Yes RTTE: No</p> |

| | |
|---|--|
|  <p>Power Cable (US Plug)</p> <ul style="list-style-type: none"> Power cable with US plug. | |
| <p>NA</p> | |


| | |
|--|-------------------------|
|  <p>Power Cable (Euro Plug)</p> <ul style="list-style-type: none"> Power cable with Euro plug. | |
| <p>18096 220V CHGR LINE CORD Unit of Measure: EA</p> | <p>CE: Yes RTTE: No</p> |


| | |
|--|--|
|  <p>Power Cable (UK Plug)</p> <ul style="list-style-type: none"> Power cable with UK plug. | |
| <p>NA</p> | |

Cables - Remote Mount Cables

| | |
|---|------------------------|
|  <p>Remote mount cable 10m Connects control head to radio. For use with Remote Mount only</p> | |
| <p>18097 REMOTE MOUNT CABLE - 10M Unit of Measure: EA</p> | <p>CE: No RTTE: No</p> |


| | |
|--|------------------------|
| <p>Remote mount cable 2.3m Connects control head to radio. For use with Motorcycle Mount only.</p> <p style="text-align: center;">IMAGE COMING SOON</p> | |
| <p>18098 NGCH MC TELCO CABLE, 2.3M Unit of Measure: EA</p> | <p>CE: No RTTE: No</p> |

| | |
|--|------------------------|
|  <p>Remote mount cable 3m Connects control head to radio. For use with Remote Mount only</p> | |
| <p>18099 REM MT CABLE 3M Unit of Measure: EA</p> | <p>CE: No RTTE: No</p> |


| | |
|--|------------------------|
|  <p>Remote mount cable 5m Connects control head to radio. For use with Remote Mount only.</p> | |
| <p>18100 REMOTE MNT CBL 5M W/O MANUAL Unit of Measure: EA</p> | <p>CE: No RTTE: No</p> |


MTM800 Enhanced Accessories


Cables - Remote Mount Cables (Continued)

| | |
|---|---|
|  | <p>Remote mount cable 7m Connects control head to radio. For use with Remote Mount only.</p> |
| | <p>18101 REMOTE MNT CBL 7M W/O MANUAL Unit of Measure: EA CE: No RTTE: No</p> |

Cables - Programming & Data Cables

| | |
|---|---|
|  | <p>USB Cable</p> |
| | <p>18118 MTM800 USB CABLE Unit of Measure: EA CE: Yes RTTE: No</p> |

| | |
|--|--|
|  | <p>Data Cable</p> |
| | <p>18111 ACTIVE DATA CABLE Unit of Measure: EA CE: Yes RTTE: No</p> |

| | |
|---|---|
|  | <p>MOTOTRBO Mobile Programming Cable (Controlhead Connection) • Allows mobile radio programming from the front of the radio.</p> |
| | <p>17753 CABLE CH, PROGRAMMING, USB Unit of Measure: EA CE: No RTTE: No</p> |

Cables - Accessories Expansion Cables

| | |
|---|---|
|  | <p>Accessories Expansion Cable 2.3m</p> |
| | <p>18104 EXPANSION CBL, 25PIN, GCAI, USB Unit of Measure: EA CE: No RTTE: No</p> |


| | |
|--|--|
|  | <p>Accessories Expansion Cable 4m</p> |
| | <p>18105 GCAI ACC EXPANSION CABLE 4M Unit of Measure: EA CE: Yes RTTE: No</p> |

MTM800 Enhanced Accessories

Cables - Battery Power Cables

| | |
|--|-----------------|
|  <p>Battery Power Cable 3m 12 volt Power Cable with Fuse (10A) 3m.</p> | |
| <p>10877 PWR CBL 3086026B01 10A FUSE</p> | |
| Unit of Measure: EA | CE: No RTTE: No |

| | |
|--|-----------------|
|  <p>Battery Power Cable 6m 12 Volt Power Cable to Battery with Fuse (10A) 6m.</p> | |
| <p>18017 PWR CBL 3086026B02 10A FUSE</p> | |
| Unit of Measure: EA | CE: No RTTE: No |

| | |
|---|-----------------|
|  <p>Ignition Switch Cable</p> <ul style="list-style-type: none"> • Ignition Sense Cable with Fuse (3A) 6m. • Cable is used to connect the battery to the radio chassis and is an option for mobile radio users who want their mobiles to turn on when they start the ignition. • Requires HLN9242_ | |
| <p>18102 IGNITION SWITCH CBL</p> | |
| Unit of Measure: EA | CE: No RTTE: No |


Specifications

- Frequency Band (MHz): 380-430, 410-430
- Transmitter RF Power: 1W
- Receiver Static Sensitivity (dBm): -112 minimum
- Receiver Dynamic Sensitivity (dBm): -103 minimum
- Operating Temperature (°C): -30 to +60
- Storage Temperature (°C): -40 to +85
- Dust and Water: IP54 (cat. 2) IEC 529 class
- Shock, drop and vibration: ETSI 300 019-1/7 Class 7.3E
- Dimensions (mm): transceiver 47 x 47 x 5.04
- Weight (g, typ): 25
- Air Interface Encryption Algorithms: TEA1, TEA2, TEA3
- Air Interface Encryption Security Classes: Class1 (clear), Class2 (SCK), Class3 (DCK & CCK)

TOM100 TETRA MODEM OT911

| MODEL NO. | DESCRIPTION | MANUF. SUGG. LIST PRICE |
|---|--|----------------------------|
| GM0141A | TOM100 TETRA MODEM OT911 <small>CE: Yes RTTE: Yes</small> | €446.00 |
| <i>Mandatory Options: One option from each group must be chosen</i> | | |
| CLASS OPTION STDMOD0857AA TETRA MODEM | ADD: TOM100 TETRA MODEM CLEAR | €0.00 |

This product is limited to Application Partners.
 For details on how to become one please contact solutions manager
 Robert Nichols at robert.nichols@motorolasolutions.com