

Motorola MTP850S



- Frequency Band (MHz): 380-430
- Transmitter RF Power: default Class 4 (1W), Class 3L (1.8W)
- Receiver Static Sensitivity (dBm): -112 minimum, -115 typical
- Receiver Dynamic Sensitivity (dBm): -103 minimum, -107 typical
- Licensable features: GPS, Mandown, High Power
- Operating Temperature (°C): -30 to +60
- Storage Temperature (°C): -40 to +85
- Humidity: ETSI 300 019-1-7 Class 7.3E
- Dust and Water: IP54 per IEC 60529
- Shock, drop and vibration: ETSI 300 019-1-7 Class 5M3
- Dimensions (mm): 125 x 59 x 36
- Weight (g, typ): 234
- Air Interface Encryption Algorithms: TEA1, TEA2, TEA3
- Air Interface Encryption Security Classes: Class1 (clear), Class2 (SCK), Class3 (DCK, CCK & GCK)
- End to End Encryption: SIM-based, UCM-based with AES128 or AES256

TCC varenr.: 17292 Pris på forespørsel.

H60PCN6TZ7AN MTP850 S 380-430 MHZ PT912BS



Antennas




Stubby Antenna 380-430MHz (medium length)

Integrated RF/GPS stubby antenna (80mm); RF in 380-430MHz band

TCC VARENR.: 17865

MTP850 STUBBY ANTENNA (380-430MHZ) Unit of Measure: EA CE: No RTTE: No



TCC VARENR.: 17866

ANT,HLCL,380MHZMIN,430MHZMAX,1DBI

Unit of Measure: EA CE: No RTTE: No

Whip Antenna 380-430MHz (long) Integrated RF/GPS whip antenna (110mm); RF in 380-430MHz band TCC VARENR.: 17370 WHIP ANTENNA (380-430MHZ) CE: No RTTE: No Unit of Measure: EA

Batteries



Li-lon battery 1850 mAh

This battery is available to ship to all EU and non-EU countries. It replaces PMNN4351A and FTN6574C.

TCC VARENR.: 17328 BATT STD LIION1850 MAH

Unit of Measure: EA

CE: Yes RTTE: Yes



Li-Ion battery 950 mAh

This battery is available to ship to all EU and non-EU countries. It replaces PMNN4351A and FTN6574C.

TCC VARENR.: 17935

LIION 950 MAH SLIM BATTERY

CE: Yes RTTE: Yes



Charging Solutions - Single & Dual Chargers



Dual Desktop Charger Base

Includes dual pocket desktop charger base; required to order travel charger power supply.

TCC VARENR: 17867

DUAL POCKET DESK TOP CHARGER



Travel Charger Power Supply - US

Requires SYN7456 for use in Europe or SYN7455 for use in the UK. Connects to the radio unit.

TCC VARENR.: 17829 TETRA POWER SUPPLY, PSM7558A-R



Adaptor Plug EU

EURO Plug adaptor for Travel Charger

TCC VARENR.: 17830 ADPTR PLUG EURO

CE: No RTTE: No

Charging Solutions - iTM Multi-Unit Chargers





TCC VARENR: 17772

TETRA MUC - WALL MOUNT BRACKET

Unit of Measure: EA CE: No RTTE: No

Interchangeable Radio Pocket Insert with USB port

Single iTM Radio Pocket Insert with USB port. Allows both charging and programming.

TCC VARENR.: 17868

MTP850 RADIO CHARGING INSERT WITH USB

iTM Multi-Unit Charger with 6 radio pockets - EU plug

iTM Multi Unit Charger with 6 radio pocket inserts including USB port (NNTN6848) EURO plug. Allows both charging and programming. Order USB cable SKN6371 separately.

Note: Picture shows charger with mixed pockets.

TCC VARENR.: 17869

6POCKET USB PROG CHARGER EU

CE: Yes RTTE: No

Installation Tray for Multi-Unit Charger Tray supports charger base and storage box for hub and programming cables for tidy installation. Wall mountable.

TCC VARENR: 17773 TETRA MUC BASE TRAY

Unit of Measure: EA

CE: Yes RTTE: No




Charging Solutions - iTM Multi-Unit Chargers (Continued)



Charging Solutions - Non-iTM Multi-Unit Chargers





	Interchangeable Radio Pocket Insert
IMAGE COMING SOON	
TCC VARENR.: 17870	ADIO POCKET,MTP850





Charging Solutions - Non-iTM Multi-Unit Chargers (Continued)



NA

Multi-Unit Charger with 6 battery pockets - US plug Note: Charger presented in the picture

contains mixed pockets whilst NNTN6911 contains battery pockets only.

NA

Multi-Unit Charger with 12 radio pockets and 12 batteries pockets -EU plug

Radios and batteries will charge sequentially - radio first.

TCC VARENR: 17872

CHR 24 POCKET MUC INT EU WO/ITM CE: Yes RTTE: Yes Unit of Measure: EA

Multi-Unit Charger with 6 battery pockets - EU plug

Note: Charger presented in the picture contains mixed pockets whilst NNTN6908 contains battery pockets only.

TCC VARENR.: 17616

TETRA MUC BARNEY BP EUROPEAN LC Unit of Measure: EA CE: No RTTE: No



Installation Tray for Multi-Unit Charger

Tray supports charger base and storage box for hub and programming cables for tidy installation. Wall mountable.

TCC VARENR.: 17773 TETRA MUC BASE TRAY Unit of Measure: EA

CE: Yes RTTE: No



Multi-Unit Charger with 12 radio pockets and 12 battery pockets -EU plug

Radios and batteries will charge simultaneously.

TCC VARENR: 17873

MTP8x0 12+12 MUC SIMUL CHG (Non-iTM) w/EU Cord

Carry Solutions - Carry Cases



Rugged Leather Carry Case

Rugged leather carry case with swivel belt

TCC VARENR.: 17875

MTP850 S HARD LEATHER SWIVEL CASE



Soft Leather Carry Case

Soft leather carry case with swivel belt loop

TCC VARENR.: 17874

MTP850 S SOFT LEATHER SWIVEL CASE



Carry Solutions - Belt Clips & Shoulder Wearing Device



Spring Belt Clip

- Material: Plastic
- · Attachment Type: Clip
- · Belt Swivel: No
- · Quick Release of the Radio: Yes

TCC VARENR.: 17317
SPRING BELT CLIP 2 1/2

CE: No RTTE: No



Shoulder Wearing Device

Shoulder Wearing Device with Peter Jones Klick Fast stud.

Compatible with all Peter Jones Klick Fast solutions.

TCC VARENR.: 17385 SHOULDER WEARING DEVICE CE: No RTTE: No



Carry Case Shoulder Strap

- Adjustable Black Nylon Strap for cases with 'D' rings
- Material: Nylon
- Attachment Type: NA
- Belt Swivel: NA
- Quick Release of Radio: Yes

TCC VARENR.: 13709			
STRAP			
Unit of Measure: EA	CE: No	RTTE: No	





Carry Solutions - Peter Jones Klick Fast Solutions & Others



Sew on Dock

- Allows mounting on uniforms, body armour and other garments
- All Klick Fast solutions require stud 5566501A01

TCC VARENR.: 17606

CARRYCASE ASSEMBLY, CLAMSHELL, PLAS, SEW-ON

DOCK

Unit of Measure: EA CE: No RTTE: No

Belt Loop with Screw on Dock

- · Allows low belt mounting dropped one belt width
- Suits belts upto 50mm wide
- All Klick Fast solutions require stud 5566501A01



Dock for Uniform Tag

- Allows fitment to existing remote speaker mic tags on uniforms to give instant Klick Fast Mounting option
- · All Klick Fast solutions require stud 5566501A01

TCC VARENR.: 17787 DOUBLE TONGUE TAG DOCK Unit of Measure: EA CE: No RTTE: No



TCC VARENR.: 17876

PJ CASE KLIC FST MTP850S W/O DOCK

Unit of Measure: EA CE: No RTTE: No

Screw on Dock

- · Easy to use "Screw to Fit" dock
- Can be used to upgrade any existing garment
- · Fitted in minutes
- Check with your company that fitting this will not invalidate any warranties
- All Klick Fast solutions require stud 5566501A01

TCC VARENR.: 17306 PETER JONES SCREW IN DOCK Unit of Measure: EA CE: No RTTE: No



Peter Jones Klick Fast Mounting Dock for RSM garment tag

TCC VARENR.: 17784 PETER JONES RSM TAG

CE: No RTTE: No



Belt Loop Dock

- Allows belt mounting for upto 38mm belt width
- All Klick Fast solutions require stud 5566501A01

TCC VARENR: 17786 DOCK 02 FOR 38MM BELT Unit of Measure: EA CE: No RTTE: No



Leather Belt Loop with Screw on

- Allows belt mounting via a belt loop (riveted to the dock)
- Suits belts upto 50mm
- All Klick Fast solutions require stud 5566501A01

TCC VARENR.: 17788 BELT LOOP DOCK Unit of Measure: EA

CE: No RTTE: No



Peter Jones Klick Fast Belt Dock, 32mm

TCC VARENR.: 17877 PETER JONES DOCK 01 32MM BELT CE: No RTTE: No Unit of Measure: EA



Programming/Data Cables



Data Cable

his is a DATA cable; connects to PC via serial port. Use with data applications (including KVL).

NA

Programming Cable

This is a PROGRAMMING cable; connects to PC via USB port. Use with CPS or iTM.

NA

In-Vehicle Solutions



Vehicle Power Adapter

Plugs into vehicle cigar-lighter socket, 12-24V.

TCC VARENR.: 17878 VEHICULAR BATTERY CHARGER CE: Yes RTTE: No Unit of Measure: EA



Handsfree Digital Car Kit without belt clip

Car kit includes:

- cradle
- junction box
- · external speaker
- · remote microphone
- Velcro PTT
- · installation cables

NO BELT CLIP INCLUDED

TCC VARENR.: 17880

ACCESSORY, CAR KIT, MTP850 DCK

Unit of Measure: EA CE: Yes RTTE: No



Combined Tetra and GPS Antenna 380-430MHz

Kit includes duplexer and DC adapter

TCC VARENR.: 17879 ANT. DIGITAL CAR KIT TETRA / GPS CE: Yes RTTE: No Unit of Measure: EA



Passive Radio Holder

Kit inlcudes 2.5" belt clip.

No charging capability.

TCC VARENR: 17881 PASSIVE CRADLE FOR MT850 RADIO



Unit of Measure: EA

Vehicular Charging Kit

12V and 24V compatibile

Kit includes:

- 2.5" belt clip
- mounting bracket

TCC VARENR.: 17882 MTP850 VEHICULAR CHARGER KIT W/O RF

CE: Yes RTTE: No



Handsfree Digital Car Kit with belt clip

Car kit includes:

- cradle
- junction box
- 5W speaker
- visor microphone
- remote PTT • 2" belt clip

TCC VARENR.: 17883 MTP850 DCK W/ BELT CLIP

CE: Yes RTTE: No Unit of Measure: EA



In-Vehicle Solutions (Continued)



Dual Battery Vehicular Charger with Power Cable

12V and 24V compatibile.

Charges simultaneously two batteries.

Kit includes:

- cradle
- · mounting bracket
- power cable

TCC VARENR: 17884

MTP850S FUG VEHICULAR DUAL BATT CHG CE: Yes RTTE: Yes

Audio Accessories - Remote Speaker Microphones



Earbud with 3.5mm Plug

- Operation: Attach to RSM
- PTT: No
- · VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

TCC VARENR.: 11123 EARBUD WITH 3.5MM PLUG

Unit of Measure: EA CE: Yes RTTE: Yes



Receive only Earpiece with Translucent Tube and Eartip

- · Operation: Attach to RSM -Receive Only
- PTT: No
- VOX capability: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only)

TCC VARENR.: 13622 RECEIVE-ONLY EARP. W. TRANSC. TUBE

Unit of Measure: EA



IMPRES Remote Speaker Microphone

- Audio Jack: Y
- Emergency Button: Y
- Volume Control: N
- Programmable Button: N
- IP Rating: IP54
- Intrinsic Safety Standard: FM
- Acoustic: Windporting Omni-Directional
- · Housing: Small

TCC VARENR.: 17885

IMPRES REMOTE SPEAKER MIC

Unit of Measure: EA CE: Yes RTTE: No



Submersible Remote Speaker Microphone

- Audio Jack: N
- Emergency Button: N
- Volume Control: N
- Programmable Button: N
- IP Rating: IP57
- Intrinsic Safety Standard: FM
- · Acoustic: Windporting Omni-Directional
- · Housing: Small

TCC VARENR.: 17886

SUBMERSIBLE REMOTE SPEAKER MIC

CE: Yes RTTE: No Unit of Measure: EA



IMPRES Speaker Microphone.w/Vol, IP57

- Audio Jack: N
- · Emergency Button: Y
- Volume Control: Y
- · Programmable Button: Y
- IP Rating: IP57
- Intrinsic Safety Standard: FM
- · Acoustic: Windporting Omni-Directional
- Housing: Large

TCC VARENR.: 17887

IMPRES SPEAKER MIC W/VOL, IP57 Unit of Measure: EA CE: Yes RTTE: No



IMPRES Remote Speaker Microphone NC, GCAI

- · Audio Jack: Y
- · Emergency Button: N
- · Volume Control: N
- · Programmable Button: N
- IP Rating: IP54
- · Intrinsic Safety Standard: FM
- · Acoustic: Noise-Canceling
- Housing: Large

TCC VARENR.: 17888

IMPRES REMOTE SPEAKER MIC. NC

CE: Yes RTTE: No Unit of Measure: EA



Audio Accessories - Remote Speaker Microphones (Continued)



Remote Speaker Microphone, Noise Cancelling

- Audio Jack: Y
- Emergency Button: Y
- Volume Control: N
- Programmable Button: N
- IP Rating: IP54
- Intrinsic Safety Standard: FM
- · Acoustic: Noise-Canceling
- · Housing: Large

TCC VARENR.: 17889

APX IMPRES RSM, NOISE CANC. EMERGENCY BUTTON

3.5MM JACK IP54 Unit of Measure: EA

CE: Yes RTTE: Yes



Large Remote Speaker Microphone

Large RSM with

- emergency PTT
- programmable button
- volume control

TCC VARENR.: 17890

RSM_W/EMER VOL JACK AND FN BTN

CE: Yes RTTE: Yes Unit of Measure: EA



Over the ear Receiver for RSM

- Operation: Attach to RSM
- Emergency Button: No
- Volume Control: No
- Programmable Button: No
- Intrinsic Safety Standard: FM (GP Series

TCC VARENR.: 13623

EAR RCVR W/COIL CBL&3.5MM PLUG Unit of Measure: EA CE: No RTTE: No

Audio Accessories - Radio Earpieces (Belt Worn Radio)



IMPRES 3-Wire Surveillance Kit with Low Noise Kit - Black

- Operation: Receive/Transmit
- PTT: Separate wire
- Vox capability: Y
- Programmable Button: Y
- Intrinsic Safety Standard: FM
- Note: this accessory is now for TETRA Terminals only - for PCR Radios please use alternative PMLN6123A

TCC VARENR.: 17891

IMPRES 3 WIRE W/ TRANS TUBE-BLK

CE: Yes RTTE: No Unit of Measure: EA



MAGONE Earreceiver with In-Line Microphone and PTT

- · Operation: Receive and transmit
- PTT: In-line
- · Vox capability: Yes
- Extra Vox-Switch on PTT: No
- · Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months

For TETRA Radios requires software version MR5.14.3 or higher.

TCC VARENR.: 17893

EAR RCVR W INLINE MIC/PTT MAGONE

CE: Yes RTTE: Yes



IMPRES 3-Wire Surveillance Kit with Low Noise Kit - Beige

- Operation: Receive/Transmit
- PTT: Separate wire
- Vox capability: Y
- Programmable Button: Y
- Intrinsic Safety Standard: FM
- Note: this accessory is now for TETRA Terminals only - for PCR Radios please use alternative PMLN6124A

TCC VARENR.: 17892

IMPRES 3 WIRE W/ TRANS TUBE-BGE CE: Yes RTTE: No Unit of Measure: EA



MagOne Swivel Earpiece with MIC/PTT

- · Operation: Receive and transmit
- PTT: In-line
- · Vox capability: Yes
- · Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: No
- · Note: MagOne warranty 6 months For TETRA Radios requires software version MR5.14.3 or higher.

TCC VARENR · 17894

SWIVEL EARPIECE W MIC/PTT MAGONE

CE: Yes RTTE: Yes



Audio Accessories - Radio Earpieces (Belt Worn Radio) (Continued)



MAGONE Earset with In-Line Microphone and PTT

- PTT: In-line
- · Receive via: Single ear
- · Transmit via: Boom mic
- · Headband: None
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months

For TETRA Radios requires software version MR5.14.3 or higher.

TCC VARENR.: 17895

EARSET W BOOM MIC INLINE PTT MAGONE

nit of Measure: EA





- PTT: NA
- Vox capability: N
- Programmable Button: N
- Intrinsic Safety Standard: FM
- Note: this accessory is now for TETRA Terminals only - for PCR Radios please use alternative PMLN6125A

TCC VARENR.: 17897


1 WIRE SURVEILLANCE KIT-BLK

Unit of Measure: EA CE: Yes RTTE: No



IMPRES 2-wire Surveillance Kit with acoustic tube - black

- Operation: Receive/Transmit
- PTT: On mic
- Vox capability: Y
- Programmable Button: Y
- · Intrinsic Safety Standard: FM



Unit of Measure: EA CE: Yes RTTE: No



Low Noise Surveillance Kit

For low-noise environments, does not provide hearing protection

TCC VARENR.: 17901

SURVEILLANCE LOW NOISE KIT

Unit of Measure: EA CE: Yes RTTE: No



MAGONE Earbud with In-Line Mic and PTT

- · Operation: Receive and transmit
- PTT: In-line
- · Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months For TETRA Radios requires software version MR5.14.3 or higher.

TCC VARENR.: 17896

EARBUD W INLINE MIC/PTT MAGONE

1 Wire surveillance - beige

- · Operation: Receive Only
- PTT: NA
- Vox capability: N
- Programmable Button: N
- Intrinsic Safety Standard: FM
- Note: this accessory is now for TETRA Terminals only - for PCR Radios please use alternative PMI.NE126A

TCC VARENR.: 17898

1 WIRE SURVEILLANCE KIT -BGE

Unit of Measure: EA CE: Yes RTTE: No



IMPRES 2-wire Surveillance Kit with acoustic tube - beige

- Operation: Receive/Transmit
- PTT: On mic
- Vox capability: Y
- Programmable Button: Y
- Intrinsic Safety Standard: FM
- Note: this accessory is now for TETRA Terminals only - for PCR Radios please use alternative PMLN6130A

TCC VARENR.: 17900

IMPRES 2 WIRE W/TRANS TUBE-BGE

Unit of Measure: EA CE: Yes RTTE: No



High Noise Surveillance Kit

For high-noise environments, does not provide hearing protection

TCC VARENR.: 17902 SURVEILLANCE HIGH NOISE KIT

Unit of Measure: EA CE: Yes RTTE: No



Audio Accessories - Headsets



IMPRES Temple Transducer with PTT and Noise Cancelling Microphone

- Receive method: Bone conduction
- Transmit method: Microphone
- Voice Activation: Y
- PTT: In Line
- · Intrinsic Safety: FM

TCC VARENR.: 17916 IMPRES TEMPLE TRANSDUCER

Unit of Measure: EA CE: Yes RTTE: No



MAGONE Lightweight Headset with PTT

- PTT:In-line
- · Receive via: Single ear
- · Transmit via: Boom mic
- · Headband: Over
- · Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months For TETRA Radios requires software version MR5.14.3 or higher.

TCC VARENR.: 17918

LT WT HS W BOOM MIC & PTT MAGONE
Unit of Measure: EA CE: Yes RTTE: Yes



Lightweight Headset w/PTT & VOX

- Receive method: Single muff
- Transmit method: Microphone
- · Voice Activation: Y
- PTT: In Line
- · Intrinsic Safety: FM

TCC VARENR.: 17920 CORE L/W HEADSET

CF: Yes RTTF: No

3

Ultra-light Headset

- · Receive method: Single muff
- · Transmit method: Microphone
- Voice Activation: Y
 - PTT: In Line
- Intrinsic Safety: FM

TCC VARENR.: 17917
CORE ULTRA-LITE HEADSET
Unit of Measure: EA CE: Yes RTTE: No



MAGONE Breeze Headset w/ Boom Mic & PTT

- PTT: In-line
- Receive via: Single ear
- . . . -
- Transmit via: Boom mic
- Headband: Behind the Head
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: No
- Note: MagOne warranty 6 months For TETRA Radios requires software version MR5.14.3 or higher.

TCC VARENR.: 17919

BREEZE HS W BOOM MIC & PTT MAGONE
Unit of Measure: EA CE: Yes RTTE: Yes

Audio Accessories - Radio Earpieces (High Noise Environment)



Ear Microphone with Bone Conduction

- IP Rating: IP54
- In line ring guarded PTT button with swivel clip
- Programmable Button: Yes
- Dimensions (mm): 16.5x29x30
- Cable length (mm): 525

TCC VARENR.: 17921
IMPRES EAR MIC SYSTEM
Unit of Measure: EA

CE: Yes RTTE: Yes



Audio Accessories - SAVOX Solutions



SAVOX CC-400 -COM-CONTROL/PUSH-TO-TALK UNIT

To be used in conjunction with SAVOX HC-1 headset

- ATEX approved: No
- weight: 120g (excluding clip)
- size: 76x17mm

Red button starts GROUP call when pressed.

TCC VARENR.: 17903 SAVOX C-C400 LARGE PTT NON-ATEX Unit of Measure: EA CE: Yes RTTE: Yes



SAVOX HC-1 - HELMET COM **HEADSET**

- ATEX approved: Yes
- · bone microphone
- single speaker
- connector: Nexus 4-pole quick release plug
- weight: 85g
- size: 40x160mm

Please note this SAVOX kit is ATEX certified only: this does not include IECEx certification.

TCC VARENR.: 15133

SAVOX ATEX HC-1 HEADSET

Unit of Measure: EA CE: Yes RTTE: Yes



TCC VARENR.: 17904

SAVOX CC-400 -COM-CONTROL/EMERGENCY

To be used in conjunction with SAVOX HC-1 headset

- ATEX approved: No
- weight: 120g (excluding clip)
- size: 76x17mm

Red button starts EMERGENCY call when

SAVOX C-C400 EMERGENCY BUTTON Unit of Measure: EA CE: Yes RTTE: Yes

Radio Identification



Red Volume Knob for MTP830S

Pack of 5 red volume knobs



MTP830S/FUG VOL KNOB -NEON RED Unit of Measure: P05 CE: No RTTE: No

Yellow Volume Knob for MTP830S

Pack of 5 vellow volume knobs.



TCC VARENR.: 17907

Unit of Measure: P05 CE: No RTTE: No

MTP830S/FUG VOL KNOB - NEON YELLOW

Green Volume Knob for MTP830S

Pack of 5 green volume knobs.

TCC VARENR.: 17906 MTP830S/FUG VOL KNOB -NEON GREEN Unit of Measure: P05 CE: No RTTE: No

White Volume Knob for MTP830S

Pack of 5 white volume knobs

TCC VARENR.: 17908

MTP830S/FUG VOLKNOB -PEARLY WHITE

Unit of Measure: P05 CE: No RTTE: No

Radio Identification (Continued)

Pack of 5 blue volume knobs

Blue Volume Knob for MTP830S

TCC VARENR: 17909

MTP830S/FUG VOL KNOB -NAVY BLUE Unit of Measure: P05 CE: No RTTE: No

Blue Volume Knob



Pack of 5 blue volume knobs for use with MTP850S, MTP850 and CEP400

TCC VARENR: 17911

MTP850S/FUG VOL KNOB -NAVY BLUE CE: No RTTE: No Unit of Measure: P05

Green Volume Knob



Pack of 5 green volume knobs for use with MTP850S, MTP850 and CEP400

TCC VARENR.: 17913

MTP850S/FUG VOLKNOB-NEON GREEN

Unit of Measure: P05 CE: No RTTE: No

White Volume Knob



Pack of 5 white volume knobs for use with MTP850S, MTP850 and CEP400

TCC VARENR.: 17910

MTP850S/FUG VOLKNOB -PEARLY WHITE

Unit of Measure: P05 CE: No RTTE: No

Red Volume Knob



Pack of 5 red volume knobs for use with MTP850S, MTP850 and CEP400

TCC VARENR.: 17912

MTP850S/FUG VOLKNOB-NEON RED

Unit of Measure: P05 CE: No RTTE: No

Yellow Volume Knob



Pack of 5 yellow volume knobs for use with MTP850S, MTP850 and CEP400

TCC VARENR · 17914

MTP850S/FUG VOLKNOB -NEON YELLOW

Unit of Measure: P05 CE: No RTTE: No

Audio Accessories - Phonak Solutions



Phonak Profilo AC complete set with GCAI connector

Includes inductive loop and comm kit

Interference-free covert wireless earpiece for use with MTP850S/FUG. The kit comprising:

Phonak "Profilo Transductor" Wireless covert earpiece in flesh colour

• Phonak Inductive Loop with Microphone

TCC VARENR.: 17915

Profilo AC Set w GCAI connector

CE: Yes RTTE: Yes Unit of Measure: EA

Phonito Nano Earpiece (beige)

Miniature wireless earpiece (beige) with digital noise reduction for use with TCR1000 microphones with inductors (PMLN5169, PMLN5170, PMLN5368ASP01)

TCC VARENR.: 17835

PHONITO NANO EARPIECE- BEIGE

Unit of Measure: EA CE: Yes RTTE: No





Phonito Nano Earpiece (brown)

Miniature wireless earpiece (brown) with digital noise reduction for use with TCR1000 microphones with inductors (PMLN5169, PMLN5170, PMLN5368ASP01) Or Profilo WL-Kit



Profilo WL-Kit AC 3.5mm

Transductive neckloop with integrated microphone.

In-line PTT on junction box.

3.5mm stero audio socket for connecting stero headphones.

TCC VARENR.: 17836

PHONITO NANO EARPIECE - BROWN CE: No RTTE: No Unit of Measure: EA



Unit of Measure: EA CE: No RTTE: No



Juma Bluetooth adapter for Motorola MTP850S

Adapter for å feste på radioen. Gir mulighet for å bruke Juma Bluetooth PTT og hodesett. Adapteren har også PTT knapp. Kan tilkobles øreplugg og PTT samtidig.

Bluetooth PTT for bruk mot Juma

adaptere. Leveres med lader.

TCC VARENR.: 17923 Bluetooth Dongle for MTP850S Unit of Measure: EA CE: No RTTE: No



Øreplugg, Bluetooth for bruk mot Juma adapter 17923. Mobil "look" Dette er en standard øreplugg som også kan brukes mot mobiltelefoner. Leveres med lader.

TCC VARENR.: 17926 Lightweight Bluetooth Headset Unit of Measure: EA

TCC VARENR.: 17925

Bluetooth PTT

Unit of Measure: EA CE: No RTTE: No



Øreplugg OTTO for MTP850.

Kombinert med PTT/Mik, beige. Sidekontakt

TCC VARENR.: 17934

Øreplugg m/kombinert mic/PTT

Unit of Measure: EA CE: Yes RTTE: Yes